

Package: LEdecomp (via r-universe)

May 15, 2026

Type Package

Title Decompose Life Expectancy by Age (and Cause)

Version 1.0.14

Date 2026-04-14

Description A set of all-cause and cause-specific life expectancy sensitivity and decomposition methods, including Arriaga (1984) <[doi:10.2307/2061029](https://doi.org/10.2307/2061029)>, others documented by Ponnappalli (2005) <[doi:10.4054/DemRes.2005.12.7](https://doi.org/10.4054/DemRes.2005.12.7)>, lifetable, numerical, and other analytic or algorithmic approaches such as Horiuchi et al (2008) <[doi:10.1353/dem.0.0033](https://doi.org/10.1353/dem.0.0033)>, or Andreev et al (2002) <[doi:10.4054/DemRes.2002.7.14](https://doi.org/10.4054/DemRes.2002.7.14)>.

License GPL-3

LazyLoad yes

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.3

Imports numDeriv, Rdpack, DemoDecomp, data.table, ggplot2

Depends R (>= 4.3)

RdMacros Rdpack

BugReports <https://github.com/timriffe/LEdecomp/issues>

Encoding UTF-8

URL <https://github.com/timriffe/LEdecomp>

Suggests testthat (>= 3.0.0), tibble

Config/testthat/edition 3

Repository <https://timriffe.r-universe.dev>

Date/Publication 2026-04-15 18:25:56 UTC

RemoteUrl <https://github.com/timriffe/ledecomp>

RemoteRef HEAD

RemoteSha 735b143187bf2b590c78fe46aa7a453041295c31

Contents

abridge_mx	3
ald_to_Lx	3
andreev	4
andreev_sym	5
arriaga	7
arriaga_sym	9
available_methods	10
chandrasekaran_II	11
chandrasekaran_III	12
LEdecomp	14
lL_to_ex	19
lopez_ruzicka	20
lopez_ruzicka_sym	21
lx_to_dx	23
mx_to_ax	23
mx_to_e0	24
mx_to_ex	25
mx_to_qx	26
plot.LEdecomp	26
qx_to_lx	29
rcumsum	29
sen_andreev	30
sen_andreev_instantaneous	31
sen_andreev_instantaneous2	33
sen_andreev_sym	34
sen_andreev_sym_instantaneous	35
sen_andreev_sym_instantaneous2	37
sen_arriaga	38
sen_arriaga_instantaneous	39
sen_arriaga_instantaneous2	41
sen_arriaga_sym	42
sen_arriaga_sym_instantaneous	44
sen_arriaga_sym_instantaneous2	45
sen_chandrasekaran_II	47
sen_chandrasekaran_II_instantaneous	48
sen_chandrasekaran_II_instantaneous2	50
sen_chandrasekaran_III	51
sen_chandrasekaran_III_instantaneous	53
sen_chandrasekaran_III_instantaneous2	54
sen_e0_mx_lt	55
sen_lopez_ruzicka	57
sen_lopez_ruzicka_instantaneous	58
sen_lopez_ruzicka_instantaneous2	60
sen_lopez_ruzicka_sym	61
sen_lopez_ruzicka_sym_instantaneous	63
sen_lopez_ruzicka_sym_instantaneous2	64

<i>abridge_mx</i>	3
sen_min	65
sen_num	67
sen_resid	68
US_data	70
US_data_CoD	71
Index	72

<i>abridge_mx</i>	<i>Abridge a single-year mx schedule to 0,1,5,... using lifetable quantities</i>
-------------------	--

Description

Abridge a single-year mx schedule to 0,1,5,... using lifetable quantities

Usage

`abridge_mx(mx, age, sex = "t", closeout = TRUE)`

Arguments

- `mx` numeric vector of single-year mortality rates (ages 0,1,2,...)
- `age` numeric vector of the same length as `mx`, usually 0:(n-1)
- `sex` character, passed to `mx_to_ax()`, default "t"
- `closeout` logical, passed to lifetable helpers, default TRUE

Value

numeric vector of abridged mx at ages c(0, 1, 5, 10, ...)

<i>ald_to_Lx</i>	<i>Calculate the lifetable exposure</i>
------------------	---

Description

L_x is defined as the integration of l_x in the interval $[x, x+n)$, where n is the width of the interval. There are many approximations for this. Here we use HMD Method Protocol equation 78. You can think of L_x as lifetable exposure, or person-years lived in each age interval.

Usage

`ald_to_Lx(ax, lx, dx, nx)`

Arguments

ax	numeric vector of ax, average time spent in the age interval by those that die in the interval
lx	numeric vector of lx, life table survivorship at exact ages.
dx	numeric vector of dx, the life table deaths distribution.
nx	age interval width, assumes 1 by default

Value

numeric vector of Lx values

References

Wilmoth JR, Andreev K, Jdanov D, Gleijeses DART, Boe C, Bubenheim M, Philipov D, Shkolnikov V, Vachon P, Winant C, M B (2021). "Methods protocol for the human mortality database. Version 6." *University of California, Berkeley, and Max Planck Institute for Demographic Research, Rostock.* URL: <http://mortality.org> [version 26/01/2021].

andreev

Andreev (1982) component decomposition of e0 difference by age

Description

Implements the age-interval component formula (telescoping form) from Andreev (1982): $\text{eps}[x1,x2] = l_{x1} * (e_{2,x1} - e_{1,x1}) - l_{x2} * (e_{2,x2} - e_{1,x2})$, where l_{\cdot} and e_{\cdot} without prime are from a chosen baseline life table.

Usage

```
andreev(
  mx1,
  mx2,
  age = 0:(length(mx1) - 1),
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)
```

Arguments

mx1	numeric vector of the mortality rates (central death rates) for population 1
mx2	numeric vector of the mortality rates (central death rates) for population 2
age	integer vector of the lower bound of each age group (currently only single ages supported)

nx	integer vector of age intervals, default 1.
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Details

setting closeout to TRUE will result in value of $1/mx$ for the final age group, of ax and a value of 1 for the closeout of qx.

Value

cc numeric vector with one element per age group, and which sums to the total difference in life expectancy between population 1 and 2.

vector of age-specific contributions to e0 gap

References

Andreev EM, others (1982). "Metod komponent v analize prodoljitelnosti zizni.[The method of components in the analysis of length of life]." *Vestnik Statistiki*, 9(3), 42–47.

Examples

```
a <- .001
b <- .07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
cc <- andreev(mx1, mx2, age = x)

e01 <- mx_to_e0(mx1, age = x)
e02 <- mx_to_e0(mx2, age = x)
(delta <- e02 - e01)
sum(cc)
```

andreev_sym

Decompose using a symmetrical variant of the Andreev components approach.

Description

This approach conducts a classic Andreev (1982) decomposition in both directions, averaging the (sign-adjusted) result, i.e. $a_avg = (\text{andreev}(mx1, mx2, \dots) - \text{andreev}(mx2, mx1, \dots)) / 2$. #@note The final age group's contribution from the reversed decomposition is halved before averaging. This empirical adjustment ensures symmetry and numeric stability, though the theoretical basis requires further exploration.

Usage

```
andreev_sym(
  mx1,
  mx2,
  age = 0:(length(mx1) - 1),
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)
```

Arguments

mx1	numeric vector of the mortality rates (central death rates) for population 1
mx2	numeric vector of the mortality rates (central death rates) for population 2
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Value

numeric vector of contributions summing to the gap in life expectancy implied by mx1 and mx2.

See Also

[andreev](#)

Examples

```
a <- .001
b <- .07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
d <- andreev_sym(mx1, mx2, age = x)

e01 <- mx_to_e0(mx1, age=x)
e02 <- mx_to_e0(mx2, age=x)
(Delta <- e02 - e01)
sum(d)

d12 <- andreev(mx1, mx2, age = x)
```

```
d21 <- andreev(mx2, mx1, age = x) # direction opposite

plot(x, d, type= 'l')
  lines(x, d12, col = "red")
  lines(x, -d21, col = "blue")
```

arriaga

*classic Arriaga decomposition***Description**

Following the notation given in Preston et al (2000), Arriaga's decomposition method can be written as:

$${}_n\Delta_x = \frac{l_x^1}{l_0^1} \cdot \left(\frac{{}_nL_x^2}{l_x^2} - \frac{{}_nL_x^1}{l_x^1} \right) + \frac{T_{x+n}^2}{l_0^1} \cdot \left(\frac{l_x^1}{l_x^2} - \frac{l_{x+n}^1}{l_{x+n}^2} \right)$$

Usage

```
arriaga(
  mx1,
  mx2,
  age = 0:(length(mx1) - 1),
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)
```

Arguments

mx1	numeric vector of the mortality rates (central death rates) for population 1
mx2	numeric vector of the mortality rates (central death rates) for population 2
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Details

A little-known property of this decomposition method is that it is directional, in the sense that we are comparing a movement of mx_1 to mx_2 , and this is not exactly symmetrical with a comparison of mx_2 with mx_1 . Note also, if decomposing in reverse from the usual, you may need a slight adjustment to the closeout value in order to match sums properly (see examples for a demonstration).

setting `closeout` to `TRUE` will result in value of $1/mx$ for the final age group, of ax and a value of 1 for the closeout of qx .

Value

`cc` numeric vector with one element per age group, and which sums to the total difference in life expectancy between population 1 and 2.

References

Arriaga EE (1984). "Measuring and explaining the change in life expectancies." *Demography*, **21**, 83–96. Preston S, Heuveline P, Guillot M (2000). *Demography: measuring and modeling population processes*. Wiley-Blackwell.

Examples

```
a <- .001
b <- .07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
cc <- arriaga(mx1, mx2, age = x)
e01 <- mx_to_e0(mx1, age = x)
e02 <- mx_to_e0(mx2, age = x)
(delta <- e02 - e01)
sum(cc)

plot(x, cc)

# asymmetrical with a decomposition in the opposite direction
cc2 <- -arriaga(mx1 = mx2, mx2 = mx1, age = x)
plot(x, cc)
lines(x, cc2)
# also we lose some precision?
sum(cc); sum(cc2)
# found it!
delta-sum(cc2); cc2[length(cc2)] / 2

# But this is no problem if closeout = FALSE
-arriaga(mx1 = mx2, mx2 = mx1, age = x, closeout=FALSE) |> sum()
arriaga(mx1 = mx1, mx2 = mx2, age = x, closeout=FALSE) |> sum()
```

arriaga_sym

Decompose using a symmetrical variant of the Arriaga approach.

Description

This approach conducts a classic Arriaga decomposition in both directions, averaging the (sign-adjusted) result, i.e. $a_avg = (arriaga(mx1, mx2, \dots) - arriaga(mx2, mx1, \dots)) / 2$. #@note The final age group's contribution from the reversed decomposition is halved before averaging. This empirical adjustment ensures symmetry and numeric stability, though the theoretical basis requires further exploration. Note this method is identical to Arriaga III as extended by Ponnappalli (2005). It is also equivalent to the symmetrical variants of Andreev and Lopez-Ruzicka, as well as chandrasekaran.

Usage

```
arriaga_sym(
  mx1,
  mx2,
  age = 0:(length(mx1) - 1),
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)
```

Arguments

mx1	numeric vector of the mortality rates (central death rates) for population 1
mx2	numeric vector of the mortality rates (central death rates) for population 2
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Value

numeric vector of contributions summing to the gap in life expectancy implied by mx1 and mx2.

References

Arriaga EE (1984). “Measuring and explaining the change in life expectancies.” *Demography*, **21**, 83–96. Ponnappalli KM (2005). “A comparison of different methods for decomposition of changes in expectation of life at birth and differentials in life expectancy at birth.” *Demographic Research*, **12**, 141–172.

See Also

[arriaga](#)

Examples

```
a <- .001
b <- .07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
d <- arriaga_sym(mx1, mx2, age = x)

e01 <- mx_to_e0(mx1, age=x)
e02 <- mx_to_e0(mx2, age=x)
(Delta <- e02 - e01)
sum(d)

d12 <- arriaga(mx1, mx2, age = x)
d21 <- arriaga(mx2, mx1, age = x) # direction opposite

plot(x, d, type= 'l')
lines(x, d12, col = "red")
lines(x, -d21, col = "blue")
```

available_methods *List available decomposition methods*

Description

Returns a table of all implemented methods, their function name, and category.

Usage

```
available_methods(category = NULL)
```

Arguments

category character. one of "direct", "direct_sen", "opt_ok", or "general"

Value

A data frame of available decomposition methods.

Examples

```
available_methods()
```

 chandrasekaran_II

 II approach of Chandrasekaran decomposition approach

Description

Following the notation given in Ponnappalli (2005), and the decomposition method can written as:

$${}_n\Delta_x = \frac{(e_x^2 - e_x^1)(l_x^2 + l_x^1)}{2} - \frac{(e_{x+n}^2 - e_{x+n}^1)(l_{x+n}^2 + l_{x+n}^1)}{2} - \frac{nL_x^1}{l_x^1} + \frac{T_{x+n}^2}{l_0^1} \left(\frac{l_x^1}{l_x^2} - \frac{l_{x+n}^1}{l_{x+n}^2} \right)$$

where ${}_n\Delta_x$ is the contribution of rate differences in age x to the difference in life expectancy implied by mx1 and mx2. This formula can be averaged between 'effect interaction deferred' and 'effect interaction forwarded' from the Ponnappalli (2005).

Usage

```
chandrasekaran_II(
  mx1,
  mx2,
  age = (1:length(mx1)) - 1,
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)
```

Arguments

mx1	numeric vector of the mortality rates (central death rates) for population 1
mx2	numeric vector of the mortality rates (central death rates) for population 2
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Details

setting `closeout` to `TRUE` will result in value of $1/mx$ for the final age group, of ax and a value of 1 for the closeout of qx . This function gives numerically identical results to `arriaga_sym()`, `lopez_ruzicka_sym()`, and `chandrasekaran_III()`.

Value

`cc` numeric vector with one element per age group, and which sums to the total difference in life expectancy between population 1 and 2.

References

Arriaga EE (1984). “Measuring and explaining the change in life expectancies.” *Demography*, **21**, 83–96. Preston S, Heuveline P, Guillot M (2000). *Demography: measuring and modeling population processes*. Wiley-Blackwell. Ponnappalli KM (2005). “A comparison of different methods for decomposition of changes in expectation of life at birth and differentials in life expectancy at birth.” *Demographic Research*, **12**, 141–172.

Examples

```
a <- .001
b <- .07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
cc <- chandrasekaran_III(mx1, mx2, age = x)
e01 <- mx_to_e0(mx1, age = x)
e02 <- mx_to_e0(mx2, age = x)
(delta <- e02 - e01)
sum(cc)

plot(x, cc)
```

chandrasekaran_III *Chandrasekaran III decomposition*

Description

Implements the Chandrasekaran III decomposition as described in Ponnappalli (2005), which combines multiple directional effects into a symmetric average. The method constructs a decomposition of the difference in life expectancy into four parts: the main effect, the operative effect, their average (exclusive effect), and a non-linear interaction term. These are calculated based on life table values. Let e_x^i denote remaining life expectancy at age x for population i , and l_x^i the number of survivors to age x . Then:

- **Main effect:**

$$\frac{l_x^1}{l_x^2} [l_x^2 (e_x^2 - e_x^1) - l_{x+n}^2 (e_{x+n}^2 - e_{x+n}^1)]$$

- **Operative effect:**

$$\frac{l_x^2}{l_x^1} [l_x^1 (e_x^2 - e_x^1) - l_{x+n}^1 (e_{x+n}^2 - e_{x+n}^1)]$$

- **Exclusive effect:**

$$\frac{\text{Main effect} + \text{Operative effect}}{2}$$

- **Interaction effect:**

$$(e_{x+n}^2 - e_{x+n}^1) \cdot \frac{1}{2} \left[\frac{l_x^1 \cdot l_{x+n}^2}{l_x^2} + \frac{l_x^2 \cdot l_{x+n}^1}{l_x^1} - (l_{x+n}^1 + l_{x+n}^2) \right]$$

The final contribution by age group is the sum of exclusive and interaction effects.

Usage

```
chandrasekaran_III(  
  mx1,  
  mx2,  
  age = (1:length(mx1)) - 1,  
  nx = rep(1, length(mx1)),  
  sex1 = "t",  
  sex2 = sex1,  
  closeout = TRUE  
)
```

Arguments

mx1	numeric vector of the mortality rates (central death rates) for population 1
mx2	numeric vector of the mortality rates (central death rates) for population 2
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Details

This decomposition gives numerically identical results to `arriaga_sym()`, `lopez_ruzicka_sym()`, and `chandrasekaran_II()`, despite conceptual differences in their derivation. Included here for methodological completeness.

Value

Numeric vector of contributions by age group that sum to the total difference in life expectancy between the two mortality schedules.

References

Ponnappalli KM (2005). “A comparison of different methods for decomposition of changes in expectation of life at birth and differentials in life expectancy at birth.” *Demographic Research*, **12**, 141–172.

See Also

[chandrasedkaran_II](#), [arriaga_sym](#), [lopez_ruzicka_sym](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
cc <- chandrasedkaran_III(mx1, mx2, age = x)
e01 <- mx_to_e0(mx1, age = x)
e02 <- mx_to_e0(mx2, age = x)
(delta <- e02 - e01)
sum(cc)

plot(x, cc, type = "l")
```

LEdecomp

Function for applying different Life-Expectancy decomposition and sensitivity methods

Description

A variety of exact or asymptotically exact life expectancy decomposition methods are implemented. Also, several life-expectancy decomposition sensitivity methods are implemented to answer how each age will change with an increase/decrease in life expectancy. See the package README and references for details.

Usage

```
LEdecomp(
  mx1,
  mx2,
  age = NULL,
  nx = NULL,
```

```

n_causes = NULL,
cause_names = NULL,
sex1 = "t",
sex2 = sex1,
method = c("lifetable", "arriaga", "arriaga_sym", "sen_arriaga", "sen_arriaga_sym",
  "sen_arriaga_inst", "sen_arriaga_inst2", "sen_arriaga_sym_inst",
  "sen_arriaga_sym_inst2", "andreev", "andreev_sym", "sen_andreev", "sen_andreev_sym",
  "sen_andreev_inst", "sen_andreev_inst2", "sen_andreev_sym_inst",
  "sen_andreev_sym_inst2", "chandrasekaran_ii", "sen_chandrasekaran_ii",
  "sen_chandrasekaran_ii_inst", "sen_chandrasekaran_ii_inst2", "chandrasekaran_iii",
  "sen_chandrasekaran_iii", "sen_chandrasekaran_iii_inst",

  "sen_chandrasekaran_iii_inst2", "lopez_ruzicka", "lopez_ruzicka_sym",
  "sen_lopez_ruzicka", "sen_lopez_ruzicka_sym", "sen_lopez_ruzicka_inst",
  "sen_lopez_ruzicka_inst2", "sen_lopez_ruzicka_sym_inst",
  "sen_lopez_ruzicka_sym_inst2", "horiuchi", "stepwise", "numerical"),
closeout = TRUE,
opt = TRUE,
tol = 1e-10,
Num_Intervals = 20,
symmetrical = TRUE,
direction = "both",
perturb = 1e-06,
...
)

```

Arguments

mx1	numeric. Age-structured mortality rates for population 1 (vector, matrix, or data.frame). See Details section for more info.
mx2	numeric. Age-structured mortality rates for population 2 (same shape as mx1).
age	numeric Lower bound of each age group. If NULL, it will be inferred from data (see Details).
nx	numeric vector of age intervals (defaults to 1 when missing).
n_causes	integer or NULL. If provided with stacked vectors, forces the number of causes (columns).
cause_names	optional character vector of length n_causes giving labels for causes. Alternatively detected from colnames(mx1) in case given as a matrix or data.frame
sex1	character. "m", "f", or "t", affects a0 treatment.
sex2	character. "m", "f", or "t", affects a0 treatment.
method	character. One of the methods in method_registry\$method.
closeout	logical. Close out at top age (TRUE) or assume closed final age group (FALSE).
opt	logical. For lifetable, numerical, and instantaneous sensitivity-based methods, optimize rate averaging to eliminate the decomposition residual?
tol	numeric. Tolerance for rate-averaging optimization.

Num_Intervals integer. For methods that discretize an integral (e.g., Horiuchi).
 symmetrical logical. For stepwise replacement only: average 1 to 2 and 2 to 1?
 direction character. For stepwise replacement: "up", "down", or "both".
 perturb numeric. Small perturbation for numerical derivatives.
 ... optional arguments passed to `numDeriv::grad()` or other internals
 #' @details Input dimensions are flexible to accommodate different coding styles
 and data layouts:

Accepted forms of `mx1` and `mx2`:

- **Vector:** A single all-cause mortality schedule, one value per age. In this case age must be the same length, or can be omitted and will default to $0:(\text{length}(\text{mx1})-1)$, unless we detect you might be using abridged age groups.
- **Matrix:** Rows represent ages, columns represent causes of death. Row names, if any, and if numeric, are interpreted as ages and override the supplied age argument or our inferences. Column names are retained in the output for clarity.
- **Data frame (wide):** Same layout as a matrix, with an optional column named age.
- **Stacked vector:** A long, concatenated vector representing causes stacked on top of each other (i.e., all ages for cause 1, then all ages for cause 2, and so on). If you don't specify age, we try to detect age and the number of causes. But please specify age- it could be stacked also, or not! For example, when used inside a tidy pipeline you might write `mutate(LEdecomp(mx1, mx2, age))` where age is repeated for each cause, i.e. the code might look the same as if you were dealing with all-cause data. But in that case be careful data are ordered consistently.

Age detection and inference:

- If age is supplied explicitly, it is used as given.
- If missing, `LEdecomp()` attempts to infer it from (in order): row names, names of the input vector, a column named "age" in a data frame, or heuristics for single-year (0:100) or abridged (0,1,5,10,...) schedules.
- If age is repeated (e.g., `c(0:100, 0:100, 0:100)`), the function assumes a stacked structure and collapses age to its unique sorted values. The number of repetitions becomes `n_causes`.

Return shape:

The output mirrors the input form:

- If the inputs were vectors, outputs are vectors.
- If inputs were matrices or data frames (wide), outputs are matrices.
- If inputs were stacked vectors, outputs are stacked vectors in the same order.

Value

An object of class "LEdecomp":

- mx1, mx2, age, sex1, sex2, method, closeout, opt, tol, Num_Intervals, symmetrical, direction, perturb
- sens: vector/matrix of sensitivities (same dimensions as inputs)
- LE1, LE2: life expectancy for mx1 and mx2
- LEdecomp: vector/matrix of contributions (same shape as inputs)

References

Arriaga EE (1984). "Measuring and explaining the change in life expectancies." *Demography*, **21**, 83–96. Chandrasekaran C (1986). "Assessing the effect of mortality change in an age group on the expectation of life at birth." *Janasamkhyā*, **4**(1), 1–9. Preston S, Heuveline P, Guillot M (2000). *Demography: measuring and modeling population processes*. Wiley-Blackwell. Ponnappalli KM (2005). "A comparison of different methods for decomposition of changes in expectation of life at birth and differentials in life expectancy at birth." *Demographic Research*, **12**, 141–172. Horiuchi S, Wilmoth JR, Pletcher SD (2008). "A decomposition method based on a model of continuous change." *Demography*, **45**(4), 785–801. Andreev EM, others (1982). "Metod komponent v analize prodoljitel'nosti zjizni.[The method of components in the analysis of length of life]." *Vestnik Statistiki*, **9**(3), 42–47. Andreev EM, Shkolnikov VM, Begun AZ (2002). "Algorithm for decomposition of differences between aggregate demographic measures and its application to life expectancies, healthy life expectancies, parity-progression ratios and total fertility rates." *Demographic research*, **7**, 499–522.

See Also

[sen_e0_mx_lt\(\)](#), [arriaga\(\)](#), [arriaga_sym\(\)](#), [sen_arriaga\(\)](#), [sen_arriaga_sym\(\)](#)

Examples

```
## Simple reproducible setup
set.seed(123)
a <- 0.001
b <- 0.07

## 1) Vector (single cause), single-year ages
age <- 0:50
mx1 <- a * exp(age * b)
mx2 <- (a / 2) * exp(age * b)

res_vec <- LEdecomp(
  mx1 = mx1, mx2 = mx2,
  age = age, nx = rep(1, length(age)),
  sex1 = "t", method = "sen_arriaga", opt = TRUE
)
round(sum(res_vec$LEdecomp), 4)

## 2) Matrix (multiple causes): rows = age, cols = causes
## Build 3 causes with random positive weights per age
k <- 3
w1 <- matrix(runif(length(age) * k, 0.9, 1.1), nrow = length(age)); w1 <- w1 / rowSums(w1)
w2 <- matrix(runif(length(age) * k, 0.9, 1.1), nrow = length(age)); w2 <- w2 / rowSums(w2)
```

```

mx1_mat <- (mx1) * w1
mx2_mat <- (mx2) * w2
colnames(mx1_mat) <- colnames(mx2_mat) <- paste0("c", 1:k)
rownames(mx1_mat) <- rownames(mx2_mat) <- as.character(age)

res_mat <- LEdecomp(
  mx1 = mx1_mat, mx2 = mx2_mat,
  age = age, nx = rep(1, length(age)),
  sex1 = "t", method = "sen_arriaga", opt = TRUE
)
## Check: row-summed cause contributions equal all-cause result
res_all <- LEdecomp(
  mx1 = mx1, mx2 = mx2,
  age = age, nx = rep(1, length(age)),
  sex1 = "t", method = "sen_arriaga", opt = TRUE
)
all.equal(rowSums(res_mat$LEdecomp), res_all$LEdecomp, tolerance = 1e-7)

## 3) Data frame (wide): same as matrix but with an 'age' column
df1 <- data.frame(age = age, mx1_mat, check.names = FALSE)
df2 <- data.frame(age = age, mx2_mat, check.names = FALSE)
res_df <- LEdecomp(
  mx1 = df1, mx2 = df2,
  age = NULL, nx = rep(1, length(age)),
  sex1 = "t", method = "sen_arriaga", opt = TRUE
)
all.equal(res_df$LEdecomp, res_mat$LEdecomp, tolerance = 1e-8)

## 4) Stacked vector (long/concatenated): all ages for cause 1, then cause 2, etc.
##   If 'age' is repeated per cause, LEdecomp infers n_causes and collapses age.
mx1_stack <- as.vector(mx1_mat) # column-major flattening
mx2_stack <- as.vector(mx2_mat)
age_rep <- rep(age, k) # typical tidy pipeline: age repeated per cause

res_stack <- LEdecomp(
  mx1 = mx1_stack, mx2 = mx2_stack,
  age = age_rep, nx = NULL,
  sex1 = "t", method = "sen_arriaga", opt = TRUE
)
## Output is a stacked vector matching the matrix baseline when flattened
all.equal(res_stack$LEdecomp, c(res_mat$LEdecomp), tolerance = 1e-8)

## 5) Abridged ages (0,1,5,10,...,110): inference when labels are missing
age_ab <- c(0L, 1L, seq.int(5L, 110L, by = 5L))
nx_ab <- c(diff(age_ab), tail(diff(age_ab), 1L))
mx1_ab <- a * exp(age_ab * b)
mx2_ab <- (a / 2) * exp(age_ab * b)

## Explicit abridged example
res_ab_explicit <- LEdecomp(
  mx1 = mx1_ab, mx2 = mx2_ab,
  age = age_ab, nx = nx_ab,
  sex1 = "t", method = "sen_arriaga", opt = TRUE
)

```

```

)

## Unlabeled abridged vector of the same length: age and nx inferred
res_ab_infer <- LEdecomp(
  mx1 = mx1_ab, mx2 = mx2_ab,
  age = NULL, nx = NULL,
  sex1 = "t", method = "sen_arriaga", opt = TRUE
)
all.equal(res_ab_infer$age, as.numeric(age_ab))
all.equal(res_ab_infer$LEdecomp, res_ab_explicit$LEdecomp, tolerance = 1e-8)

## 6) Rownames override age when they look like ages
## Here we give the wrong 'age' but set rownames to "0","1",...,"50".
wrong_age <- age + 10
mx1_rn <- mx1_mat; mx2_rn <- mx2_mat
rownames(mx1_rn) <- rownames(mx2_rn) <- as.character(age)
res_rn <- suppressWarnings(LEdecomp(
  mx1 = mx1_rn, mx2 = mx2_rn,
  age = wrong_age, nx = rep(1, length(age)),
  sex1 = "t", method = "sen_arriaga", opt = TRUE
))
all.equal(res_rn$age, as.numeric(age))

## 7) List available methods
available_methods()

```

lL_to_ex

calculate remaining life expectancy ex for each age

Description

Here we combine HMD Method Protocol equations 79 and 80. We calculate all the remaining years left to live at each age, then condition this on survival to each age.

Usage

```
lL_to_ex(lx, Lx)
```

Arguments

lx numeric vector of lifetable survivors at exact age x
Lx numeric vector of lifetable exposure Lx

Value

numeric vector of remaining life expectancy ex

References

Wilmoth JR, Andreev K, Jdanov D, Glei DART, Boe C, Bubenheim M, Philipov D, Shkolnikov V, Vachon P, Winant C, M B (2021). "Methods protocol for the human mortality database. Version 6." *University of California, Berkeley, and Max Planck Institute for Demographic Research, Rostock.* URL: <http://mortality.org> [version 26/01/2021].

lopez_ruzicka

Lopez-Ruzicka decomposition

Description

Implements the decomposition of life expectancy proposed by Lopez and Ruzicka, as described in Ponnappalli (2005) (there labelled Lopez-Ruzicka II). This method expresses the difference in life expectancy between two mortality schedules in terms of an exclusive effect and an interaction effect, using life table quantities.

Let e_x^i denote remaining life expectancy at age x for population i , and l_x^i the number of survivors to age x . Then:

- **Exclusive effect:**

$$\frac{l_x^1}{l_x^2} [l_x^2(e_x^2 - e_x^1) - l_{x+n}^2(e_{x+n}^2 - e_{x+n}^1)]$$

- **Interaction effect:**

$$(e_{x+n}^2 - e_{x+n}^1) \cdot \left[\frac{l_x^1 \cdot l_{x+n}^2}{l_x^2} - l_{x+n}^1 \right]$$

The total contribution to life expectancy difference in age group x is the sum of the exclusive and interaction effects.

Usage

```
lopez_ruzicka(
  mx1,
  mx2,
  age = (1:length(mx1)) - 1,
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)
```

Arguments

mx1	numeric vector of the mortality rates (central death rates) for population 1
mx2	numeric vector of the mortality rates (central death rates) for population 2
age	integer vector of the lower bound of each age group (currently only single ages supported)

nx	integer vector of age intervals, default 1.
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Details

This method produces **numerically identical results** to `arriaga()`.

Value

Numeric vector of contributions by age group that sum to the total difference in life expectancy between the two mortality schedules.

References

Ponnappalli KM (2005). "A comparison of different methods for decomposition of changes in expectation of life at birth and differentials in life expectancy at birth." *Demographic Research*, **12**, 141–172.

See Also

[arriaga](#), [chandrasekaran_III](#), [lopez_ruzicka_sym](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
cc <- lopez_ruzicka(mx1, mx2, age = x)
sum(cc)
```

lopez_ruzicka_sym *Symmetric Lopez-Ruzicka decomposition*

Description

Implements a symmetric version of the Lopez-Ruzicka decomposition by averaging the results from the forward and reverse directions. That is, `lopez_ruzicka_sym(mx1, mx2)` returns

$$\frac{1}{2} (\text{lopez_ruzicka}(mx1, mx2) - \text{lopez_ruzicka}(mx2, mx1))$$

This symmetric adjustment ensures that the decomposition is directionally neutral. This procedure is equivalent to what Ponnappalli (2005) calls Lopez-Ruzicka III. It is also equivalent to the symmetrical variants of Andreev and Arriaga, as well as chandrasekaran.

Usage

```
lopez_ruzicka_sym(
  mx1,
  mx2,
  age = (1:length(mx1)) - 1,
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)
```

Arguments

mx1	numeric vector of the mortality rates (central death rates) for population 1
mx2	numeric vector of the mortality rates (central death rates) for population 2
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Details

This symmetric version gives **numerically identical results** to `arriaga_sym()`, `chandrakaran_II()`, and `chandrakaran_III()`.

Value

Numeric vector of contributions by age group that sum to the total difference in life expectancy between the two mortality schedules.

References

Ponnappalli KM (2005). "A comparison of different methods for decomposition of changes in expectation of life at birth and differentials in life expectancy at birth." *Demographic Research*, **12**, 141–172. Lopez AD, Ruzicka LT (1977). "The Differential Mortality of the Sexes in Australia." In McGlashan ND (ed.), *Studies in Australian Mortality*, volume 4 of *Environmental Studies Occasional Paper*, 89–94. University of Tasmania, Hobart, Tasmania. Occasional Paper No.\ 4.

See Also

[lopez_ruzicka](#), [arriaga_sym](#), [chandrakaran_II](#), [chandrakaran_III](#)

Examples

```

a <- 0.001
b <- 0.07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
d <- lopez_ruzicka_sym(mx1, mx2, age = x)

# compare to arriaga_sym()
d2 <- arriaga_sym(mx1, mx2, age = x)
all.equal(d, d2)

```

lx_to_dx

Calculate the lifetable death distribution

Description

Minus the decumulation of the survival curve gives the death distribution. Or the element-wise product of l_x and the conditional death probabilities q_x gives the same thing.

Usage

```
lx_to_dx(lx)
```

Arguments

lx numeric vector of lifetable survivors at exact age x

Value

numeric vector of dx values

mx_to_ax

produce single-age ax values

Description

We assume mid-interval ax except for age 0 and potentially the open age group. ax is defined as the average years lived in each age interval by those that die within the interval, and it is used to increase the precision of lifetable estimates. We allow ourselves the midpoint rule for single ages because it has little leverage. If we were working with abridged ages then we would need to use a more sophisticated method.

Usage

```
mx_to_ax(
  mx,
  nx = rep(1, length(mx)),
  age = 0:(length(mx) - 1),
  sex = "t",
  closeout = TRUE
)
```

Arguments

mx	numeric vector of the mortality rates (central death rates)
nx	age interval width, assumes 1 by default
age	integer vector of the lower bound of each age group (currently only single ages supported)
sex	character: Male ("m"), Female ("f"), or Total ("t")
closeout	logical. Default TRUE.

Details

For the case of Total sex, we estimate the male and female $a(0)$ using the Andreev-Kingkade rule of thumb, and then average them. We assume a value of 1/2 for all other ages, unless `closeout = TRUE`, in which case we close with $1/mx$ for the final value.

Value

numeric vector of ax values, the same length as mx

References

Andreev EM, Kingkade WW (2015). "Average age at death in infancy and infant mortality level: Reconsidering the Coale-Demeny formulas at current levels of low mortality." *Demographic Research*, **33**, 363–390.

 mx_to_e0

calculate life expectancy at birth from mortality rates

Description

We follow the full chain of standard lifetable column calculations to translate `mx` to `ex`, then select the first element of `ex`. If $\min(\text{age}) > 0$, then we return remaining life expectancy at the lowest given age.

Usage

```
mx_to_e0(mx, age, sex = "t", nx = rep(1, length(age)), closeout = TRUE)
```

Arguments

mx	numeric vector of the mortality rates (central death rates)
age	integer vector of the lower bound of each age group (currently only single ages supported)
sex	character: Male ("m"), Female ("f"), or Total ("t")
nx	age interval width, assumes 1 by default
closeout	logical. Default TRUE.

Value

numeric scalar of e_0

mx_to_ex	<i>calculate remaining life expectancy from mortality rates</i>
----------	---

Description

We follow the full chain of standard lifetable column calculations to translate mx to ex.

Usage

```
mx_to_ex(mx, age, nx = rep(1, length(age)), sex = "t", closeout = TRUE)
```

Arguments

mx	numeric vector of the mortality rates (central death rates)
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	age interval width, assumes 1 by default
sex	character: Male ("m"), Female ("f"), or Total ("t")
closeout	logical. Default TRUE.

Value

numeric vector of ex, the same length as mx

mx_to_qx	<i>produce single-age qx values</i>
----------	-------------------------------------

Description

qx gives conditional death probabilities, in this case forced to be consistent with a set of mx and ax values per HMD Method Protocol eq 71.

Usage

```
mx_to_qx(mx, ax, nx = rep(1, length(mx)), closeout = TRUE)
```

Arguments

mx	numeric vector of the mortality rates (central death rates)
ax	numeric vector of ax values
nx	age interval width, assumes 1 by default
closeout	logical. Default TRUE.

Value

numeric vector of qx, the same length as mx

plot.LEdecomp	<i>Plot Life-Expectancy Decomposition Results (ggplot2)</i>
---------------	---

Description

Plot contributions (or sensitivities) to a life expectancy difference by age or by age and cause using ggplot2. This is just for a quick default plot method.

Usage

```
## S3 method for class 'LEdecomp'
plot(
  x,
  what = c("LEdecomp", "sens"),
  geom = c("auto", "line", "bar"),
  col = NULL,
  lwd = 1.2,
  xlab = "Age",
  ylab = NULL,
  main = NULL,
  legend = TRUE,
  legend_pos = "right",
```

```

abridged_midpoints = FALSE,
layout = c("overlay", "facet"),
ncol = NULL,
...
)

```

Arguments

x	An object of class "LEdecomp".
what	Which series to plot: "LEdecomp" (default) or "sens".
geom	Plot geometry: "auto", "line", or "bar". If "auto", "bar" is used for what = "LEdecomp" and "line" for what = "sens".
col	Optional vector of colors for causes. If NULL, a fixed palette is used and recycled as needed.
lwd	Line width for cause lines (default 1.2).
xlab, ylab, main	Axis labels and main title. If ylab is NULL, the default is "Difference explained (years)" for what = "LEdecomp" and "Sensitivity $d(e_0)/d(mx)$ " for what = "sens".
legend	Logical. Show legend (primarily relevant for layout = "overlay").
legend_pos	Legend position passed to theme(legend.position = ...). Accepts "none", "left", "right", "bottom", "top", or numeric coordinates c(x, y) in [0,1] inside the panel.
abridged_midpoints	Logical. If TRUE and ages are abridged (0, 1, 5, 10, ...), plot against bin midpoints instead of lower bounds.
layout	Plot layout for cause-of-death results: "overlay" (all causes in one panel) or "facet" (one panel per cause).
ncol	Number of columns to use when layout = "facet". If NULL, a default is chosen based on the number of causes.
...	Reserved for future use.

Details

By default, if what = "LEdecomp" we plot using bars (geom = "bar"), but you can override this. For bar plots, recall it's the area, not the height that the eye reads; for this reason, if your data is in non-single ages, we divide out the interval width, so that the implied uniform graduation to single ages still sums to the gap. If what = "sens" note we plot on a single-age scale even if the data are in abridged ages.

Value

Invisibly returns the ggplot object (after printing).

Examples

```

data("US_data", package = "LEdecomp")
allc <- subset(US_data, year == 2010)

# Make Female vs Male all-cause schedules, Age 0:100
ac_w <- reshape(allc[, c("sex", "age", "mx")],
                timevar = "sex", idvar = "age", direction = "wide")
names(ac_w) <- sub("^mx\\.\\.", "", names(ac_w))
ac_w <- ac_w[order(ac_w$age), ]

dec_ac <- LEdecomp(
  mx1 = ac_w$Male,
  mx2 = ac_w$Female,
  age = 0:100,
  method = "sen_arriaga"
)

# Simple single-line plot

plot(dec_ac, main = "All-cause Arriaga, 2010 Female vs Male")

## End(Not run)
## Example 2: Cause of death, one year, Female vs Male
data("US_data_CoD", package = "LEdecomp")

codf <- subset(US_data_CoD, year == 2010 & sex == "Female")
codm <- subset(US_data_CoD, year == 2010 & sex == "Male")

dec_cod <- LEdecomp(
  mx1 = codf$mx,
  mx2 = codm$mx,
  age = 0:100,
  n_causes = length(unique(codf$cause)),
  cause_names = unique(codf$cause_id),
  method = "sen_arriaga"
)

# Overlay of all causes

plot(dec_cod, layout = "overlay", main = "Arriaga CoD, 2010 Female vs Male", legend.pos = "top")

# Facet by cause (3 columns)
plot(dec_cod, layout = "facet", ncol = 3, main = "Arriaga by cause (faceted)")

## Example 3: How to add an all-cause total line yourself (overlay)

p <- plot(dec_cod, layout = "overlay", main = "Overlay with manual Total")
y_mat <- if (is.matrix(dec_cod$LEdecomp)) dec_cod$LEdecomp else
  matrix(dec_cod$LEdecomp, nrow = length(dec_cod$age))
total <- rowSums(y_mat)
p + ggplot2::geom_line(

```

```
data = data.frame(age = dec_cod$age, total = total),
mapping = ggplot2::aes(x = .data$age, y = .data$total),
inherit.aes = FALSE, color = "black", linewidth = 1.1)
```

qx_to_lx	<i>Calculate the survival curve</i>
----------	-------------------------------------

Description

The survival curve is calculated as the cumulative product of the conditional survival probabilities, which are the complement of conditional death probabilities, qx , except we take care to start with a clean 1. This function no radix option. lx with a radix of 1 can be interpreted as the probability of surviving from birth to age x .

Usage

```
qx_to_lx(qx, radix = 1)
```

Arguments

qx	numeric vector of conditional death probabilities
$radix$	initial lifetable cohort size, $l(0)$. Default 1.

Value

numeric vector of lx values

rcumsum	<i>top-down cumulative sums, as in the lifetable T_x</i>
---------	---

Description

Why write `x |> rev() |> cumsum() |> rev()` when you can just write `rcumsum(x)`?

Usage

```
rcumsum(x)
```

Arguments

x	numeric vector
-----	----------------

Value

numeric vector the same length as x

sen_andreev

*the sensitivity implied by an Andreev decomposition***Description**

The sensitivity of life expectancy to a perturbation in mortality rates can be derived by dividing the Andreev decomposition result Δ by the difference $mx2 - mx1$.

$$s_x = \frac{\Delta}{{}_nM_x^2 - {}_nM_x^1}$$

Usage

```
sen_andreev(
  mx1,
  mx2,
  age = 0:(length(mx1) - 1),
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)
```

Arguments

mx1	numeric vector of the mortality rates (central death rates) for population 1
mx2	numeric vector of the mortality rates (central death rates) for population 2
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Value

s numeric vector with one element per age group, and which gives the sensitivity values for each age.

References

Andreev EM, others (1982). "Metod komponent v analize prodoljitelnosti zjizni.[The method of components in the analysis of length of life]." *Vestnik Statistiki*, **9**(3), 42–47.

See Also[andreev](#)**Examples**

```

a <- .001
b <- .07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
cc <- andreev(mx1, mx2, age = x)
# examples can come from above too
s <- sen_andreev(mx1, mx2, age = x)

plot(x, s)

cc_check <- s * (mx2 - mx1)

plot(x, cc)
lines(x, cc_check)

```

sen_andreev_instantaneous

Estimate sensitivity of life expectancy for a set of mortality rates

Description

This implementation gives a good approximation of the sensitivity of life expectancy to perturbations in mortality rates (central death rates). Since the Andreev approach requires two versions of mortality rates $mx1$, $mx2$, we create these by slightly perturbing mx up and down. Then we calculate the Andreev sensitivity in each direction and take the average. Specifically, we create $mx1$ and $mx2$ as

$$m_x^1 = m_x \cdot \left(\frac{1}{1-h} \right)$$

$$m_x^2 = m_x \cdot (1-h)$$

where h is small value given by the argument `perturb`.

Usage

```

sen_andreev_instantaneous(
  mx,
  age = 0:(length(mx1) - 1),
  sex = "t",
  nx = rep(1, length(mx)),
  perturb = 1e-06,
  closeout = TRUE
)

```

Arguments

mx	numeric vector of mortality rates (central death rates)
age	integer vector of the lower bound of each age group (currently only single ages supported)
sex	character Male ("m"), Female ("f"), or Total ("t")
nx	integer vector of age intervals, default 1.
perturb	numeric constant, a very small number
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Details

A minor correction might be needed for the final age group for the case of the reverse-direction Andreev sensitivity. Note also for values of perturb (h) that are less than $1e-7$ we might lose stability in results.

Value

numeric vector of sensitivity of life expectancy to perturbations in mx.

Examples

```
a <- .001
b <- .07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
mx <- (mx1 + mx2) / 2
s <- sen_andreev_instantaneous(mx, age = x)
s1 <- sen_andreev_instantaneous(mx1, age = x)
s2 <- sen_andreev_instantaneous(mx2, age = x)
s1_d <- sen_andreev(mx1, mx2, age = x)
s2_d <- sen_andreev(mx2, mx1, age = x)
delta <- mx2 - mx1
# dots give our point estimate of sensitivity at the average of the rates,
# which is different from the

plot(x,s*delta, ylim = c(0,.3))
lines(x,s1*delta,col = "red")
lines(x,s2*delta,col = "blue")
# the sensitivity of the average is different
# from the average of the sensitivities!
lines(x, ((s1+s2)) / 2 * delta)
# and these are different from the directional sensitivities
# covering the whole space from mx1 to mx2:
lines(x, s1_d*delta, col = "red", lty =2)
lines(x, s2_d*delta, col = "blue", lty =2)
```

 sen_andreev_instantaneous2

Estimate sensitivity of life expectancy for a set of mortality rates by perturbing in the log space.

Description

This is a second approach for estimating the sensitivity for a single set of rates. Here, rather than directly expanding and contracting rates to convert m_x into m_{x1} and m_{x2} we instead shift the logged mortality rates up and down by the factor $\text{perturb} = h$. Specifically:

$$m_x^1 = e^{\ln(m_x)+h}$$

$$m_x^2 = e^{\ln(m_x)-h}$$

Usage

```
sen_andreev_instantaneous2(
  mx,
  age = 0:(length(mx1) - 1),
  sex = "t",
  nx = rep(1, length(mx)),
  perturb = 1e-06,
  closeout = TRUE
)
```

Arguments

mx	numeric vector of mortality rates (central death rates)
age	integer vector of the lower bound of each age group (currently only single ages supported)
sex	character Male ("m"), Female ("f"), or Total ("t")
nx	integer vector of age intervals, default 1.
perturb	numeric constant, a very small number
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the a_x and q_x values? See details.

Value

numeric vector of sensitivity of life expectancy to perturbations in m_x

See Also

[sen_andreev_instantaneous](#)

Examples

```

a <- .001
b <- .07
x <- 0:100
mx <- a * exp(x * b)
# the multiplicative perturbation:
s1 <- sen_andreev_instantaneous(mx)
s2 <- sen_andreev_instantaneous2(mx)
plot(x,
      s1 - s2,
      pch = 16,
      cex=.5,
      main = "very similar")

```

sen_andreev_sym	<i>Estimate sensitivity of life expectancy using a symmetrical Andreev approach.</i>
-----------------	--

Description

This approach conducts a classic Andreev (1982) decomposition in both directions, averaging the (sign-adjusted) result, i.e. $a_avg = (\text{andreev}(mx1, mx2, \dots) - \text{andreev}(mx2, mx1, \dots)) / 2$, then approximates the sensitivity by dividing out the rate differences, i.e. $s = a_avg / (mx2 - mx1)$. A resulting decomposition will be exact because the two andreev directions are exact, but this method might be vulnerable to 0s in the denominator.

Usage

```

sen_andreev_sym(
  mx1,
  mx2,
  age = 0:(length(mx1) - 1),
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)

```

Arguments

mx1	numeric vector of the mortality rates (central death rates) for population 1
mx2	numeric vector of the mortality rates (central death rates) for population 2
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.

sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Value

numeric vector of life expectancy sensitivity to perturbations in mx evaluated at the average of mx1 and mx2.

See Also

[arriaga](#)

Examples

```
a <- .001
b <- .07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
s <- sen_andreev_sym(mx1, mx2, age = x)

e01 <- mx_to_e0(mx1, age=x)
e02 <- mx_to_e0(mx2, age=x)
(Delta <- e02 - e01)
deltas <- mx2 - mx1
sum(deltas * s)
mx_avg <- (mx1+mx2) / 2

mx_avg <- (mx1 + mx2) / 2
plot(x, s, type = 'l')
lines(x, sen_andreev_instantaneous(mx_avg, age=x), col = "blue")
```

sen_andreev_sym_instantaneous

Instantaneous sensitivity via symmetrical Andreev decomposition

Description

Estimates the sensitivity of life expectancy to small changes in age-specific mortality rates using the symmetrical Andreev decomposition. This is done by applying a small multiplicative perturbation to the input mortality rates and using the symmetrical sensitivity function `sen_andreev_sym()`.

Specifically, the function constructs:

$$m_x^1 = m_x \cdot \left(\frac{1}{1-h} \right)$$

$$m_x^2 = m_x \cdot (1-h)$$

and applies `sen_andreev_sym(mx1, mx2, ...)` to the result.

Usage

```
sen_andreev_sym_instantaneous(
  mx,
  age = 0:(length(mx1) - 1),
  sex = "t",
  nx = rep(1, length(mx)),
  perturb = 1e-06,
  closeout = TRUE
)
```

Arguments

<code>mx</code>	Numeric vector of mortality rates (central death rates).
<code>age</code>	integer vector of the lower bound of each age group (currently only single ages supported)
<code>sex</code>	Character; "m" for male, "f" for female, or "t" for total.
<code>nx</code>	integer vector of age intervals, default 1.
<code>perturb</code>	Numeric; a small constant determining the perturbation size (default 1e-6).
<code>closeout</code>	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the <code>ax</code> and <code>qx</code> values? See details.

Details

This function yields an instantaneous approximation to the derivative of life expectancy with respect to mortality, evaluated at the input schedule. Because `sen_andreev_sym()` is itself symmetrical, only the "forward" perturbation is required.

Value

numeric vector of life expectancy sensitivity to perturbations in `mx`.

See Also

[sen_andreev_sym](#), [sen_andreev_sym_instantaneous2](#), [sen_lopez_ruzicka_instantaneous](#)

Examples

```

a <- 0.001
b <- 0.07
x <- 0:100
mx <- a * exp(x * b)
s <- sen_andreev_sym_instantaneous(mx, age = x)

plot(x, s, type = "l")

```

```
sen_andreev_sym_instantaneous2
```

Estimate sensitivity of life expectancy for a set of mortality rates by perturbing in the log space.

Description

This is a second approach for estimating the sensitivity for a single set of rates. Here, rather than directly expanding and contracting rates to convert m_x into m_{x1} and m_{x2} we instead shift the logged mortality rates up and down by the factor $\text{perturb} = h$. Specifically:

$$m_x^1 = e^{\ln(m_x)+h}$$

$$m_x^2 = e^{\ln(m_x)-h}$$

Usage

```

sen_andreev_sym_instantaneous2(
  mx,
  age = 0:(length(mx1) - 1),
  sex = "t",
  nx = rep(1, length(mx)),
  perturb = 1e-06,
  closeout = TRUE
)

```

Arguments

<code>mx</code>	numeric vector of mortality rates (central death rates)
<code>age</code>	integer vector of the lower bound of each age group (currently only single ages supported)
<code>sex</code>	character Male ("m"), Female ("f"), or Total ("t")
<code>nx</code>	integer vector of age intervals, default 1.
<code>perturb</code>	numeric constant, a very small number
<code>closeout</code>	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the a_x and q_x values? See details.

Value

numeric vector of life expectancy sensitivity to perturbations in mx .

See Also

[sen_andreev_instantaneous](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx <- a * exp(x * b)
s <- sen_andreev_sym_instantaneous2(mx, age = x)

plot(x, s, type = "l")
```

sen_arriaga

the sensitivity implied by a classic Arriaga decomposition

Description

The sensitivity of life expectancy to a perturbation in mortality rates can be derived by dividing the Arriaga decomposition result Δ by the difference $mx2 - mx1$.

$$s_x = \frac{\Delta}{{}_nM_x^2 - {}_nM_x^1}$$

Usage

```
sen_arriaga(
  mx1,
  mx2,
  age = 0:(length(mx1) - 1),
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)
```

Arguments

<code>mx1</code>	numeric vector of the mortality rates (central death rates) for population 1
<code>mx2</code>	numeric vector of the mortality rates (central death rates) for population 2
<code>age</code>	integer vector of the lower bound of each age group (currently only single ages supported)

nx	integer vector of age intervals, default 1.
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Value

s numeric vector with one element per age group, and which gives the sensitivity values for each age.

References

Arriaga EE (1984). "Measuring and explaining the change in life expectancies." *Demography*, **21**, 83–96. Preston S, Heuveline P, Guillot M (2000). *Demography: measuring and modeling population processes*. Wiley-Blackwell.

See Also

[arriaga](#)

Examples

```
a <- .001
b <- .07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
cc <- arriaga(mx1, mx2, age = x)
# examples can come from above too
s <- sen_arriaga(mx1, mx2, age = x)

plot(x, s)

cc_check <- s * (mx2 - mx1)

plot(x, cc)
lines(x, cc_check)
```

sen_arriaga_instantaneous

Estimate sensitivity of life expectancy for a set of mortality rates

Description

This implementation gives a good approximation of the sensitivity of life expectancy to perturbations in mortality rates (central death rates). Since the Arriaga approach requires two versions of mortality rates m_{x1} , m_{x2} , we create these by slightly perturbing m_x up and down. Then we calculate the Arriaga sensitivity in each direction and take the average. Specifically, we create m_{x1} and m_{x2} as

$$m_x^1 = m_x \cdot \left(\frac{1}{1-h} \right)$$

$$m_x^2 = m_x \cdot (1-h)$$

where h is small value given by the argument `perturb`.

Usage

```
sen_arriaga_instantaneous(  
  mx,  
  age = 0:(length(mx1) - 1),  
  sex = "t",  
  nx = rep(1, length(mx)),  
  perturb = 1e-06,  
  closeout = TRUE  
)
```

Arguments

<code>mx</code>	numeric vector of mortality rates (central death rates)
<code>age</code>	integer vector of the lower bound of each age group (currently only single ages supported)
<code>sex</code>	character Male ("m"), Female ("f"), or Total ("t")
<code>nx</code>	integer vector of age intervals, default 1.
<code>perturb</code>	numeric constant, a very small number
<code>closeout</code>	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the a_x and q_x values? See details.

Details

A minor correction might be needed for the final age group for the case of the reverse-direction Arriaga sensitivity. Note also for values of `perturb` (h) that are less than $1e-7$ we might lose stability in results.

Value

numeric vector of sensitivity of life expectancy to perturbations in m_x .

Examples

```

a <- .001
b <- .07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
mx <- (mx1 + mx2) / 2
s <- sen_arriaga_instantaneous(mx, age = x)
s1 <- sen_arriaga_instantaneous(mx1, age = x)
s2 <- sen_arriaga_instantaneous(mx2, age = x)
s1_d <- sen_arriaga(mx1, mx2, age = x)
s2_d <- sen_arriaga(mx2, mx1, age = x)
delta <- mx2 - mx1
# dots give our point estimate of sensitivity at the average of the rates,
# which is different from the

plot(x,s*delta, ylim = c(0,.3))
lines(x,s1*delta,col = "red")
lines(x,s2*delta,col = "blue")
# the sensitivity of the average is different
# from the average of the sensitivities!
lines(x, ((s1+s2)) / 2 * delta)
# and these are different from the directional sensitivities
# covering the whole space from mx1 to mx2:
lines(x, s1_d*delta, col = "red", lty =2)
lines(x, s2_d*delta, col = "blue", lty =2)

```

sen_arriaga_instantaneous2

Estimate sensitivity of life expectancy for a set of mortality rates by perturbing in the log space.

Description

This is a second approach for estimating the sensitivity for a single set of rates. Here, rather than directly expanding and contracting rates to convert mx into $mx1$ and $mx2$ we instead shift the logged mortality rates up and down by the factor $perturb = h$. Specifically:

$$m_x^1 = e^{\ln(m_x)+h}$$

$$m_x^2 = e^{\ln(m_x)-h}$$

Usage

```

sen_arriaga_instantaneous2(
  mx,
  age = 0:(length(mx1) - 1),
  sex = "t",
  nx = rep(1, length(mx)),

```

```

    perturb = 1e-06,
    closeout = TRUE
  )

```

Arguments

mx	numeric vector of mortality rates (central death rates)
age	integer vector of the lower bound of each age group (currently only single ages supported)
sex	character Male ("m"), Female ("f"), or Total ("t")
nx	integer vector of age intervals, default 1.
perturb	numeric constant, a very small number
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Value

numeric vector of sensitivity of life expectancy to perturbations in mx

See Also

[sen_arriaga_instantaneous](#)

Examples

```

a <- .001
b <- .07
x <- 0:100
mx <- a * exp(x * b)
# the multiplicative perturbation:
s1 <- sen_arriaga_instantaneous(mx)
s2 <- sen_arriaga_instantaneous2(mx)
plot(x,
     s1 - s2,
     pch = 16,
     cex=.5,
     main = "very similar")

```

Description

This approach conducts a classic Arriaga decomposition in both directions, averaging the (sign-adjusted) result, i.e. $a_avg = (arriaga(mx1, mx2, \dots) - arriaga(mx2, mx1, \dots)) / 2$, then approximates the sensitivity by dividing out the rate differences, i.e. $s = a_avg / (mx2 - mx1)$. A resulting decomposition will be exact because the two arriaga directions are exact, but this method might be vulnerable to 0s in the denominator.

Usage

```
sen_arriaga_sym(
  mx1,
  mx2,
  age = 0:(length(mx1) - 1),
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)
```

Arguments

mx1	numeric vector of the mortality rates (central death rates) for population 1
mx2	numeric vector of the mortality rates (central death rates) for population 2
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Value

numeric vector of life expectancy sensitivity to perturbations in mx evaluated at the average of mx1 and mx2.

See Also

[arriaga](#)

Examples

```
a <- .001
b <- .07
x <- 0:100
```

```

mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
s <- sen_arriaga_sym(mx1, mx2, age = x)

e01 <- mx_to_e0(mx1, age=x)
e02 <- mx_to_e0(mx2, age=x)
(Delta <- e02 - e01)
deltas <- mx2 - mx1
sum(deltas * s)
mx_avg <- (mx1+mx2) / 2

mx_avg <- (mx1 + mx2) / 2
plot(x, s, type = 'l')
lines(x, sen_arriaga_instantaneous(mx_avg, age=x), col = "blue")

```

sen_arriaga_sym_instantaneous

Instantaneous sensitivity via symmetrical Arriaga decomposition

Description

Estimates the sensitivity of life expectancy to small changes in age-specific mortality rates using the symmetrical Arriaga decomposition. This is done by applying a small multiplicative perturbation to the input mortality rates and using the symmetrical sensitivity function `sen_arriaga_sym()`.

Specifically, the function constructs:

$$m_x^1 = m_x \cdot \left(\frac{1}{1-h} \right)$$

$$m_x^2 = m_x \cdot (1-h)$$

and applies `sen_arriaga_sym(mx1, mx2, ...)` to the result.

Usage

```

sen_arriaga_sym_instantaneous(
  mx,
  age = 0:(length(mx1) - 1),
  sex = "t",
  nx = rep(1, length(mx)),
  perturb = 1e-06,
  closeout = TRUE
)

```

Arguments

mx	Numeric vector of mortality rates (central death rates).
age	integer vector of the lower bound of each age group (currently only single ages supported)
sex	Character; "m" for male, "f" for female, or "t" for total.
nx	integer vector of age intervals, default 1.
perturb	Numeric; a small constant determining the perturbation size (default 1e-6).
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Details

This function yields an instantaneous approximation to the derivative of life expectancy with respect to mortality, evaluated at the input schedule. Because `sen_arriaga_sym()` is itself symmetrical, only the "forward" perturbation is required.

Value

numeric vector of life expectancy sensitivity to perturbations in `mx`.

See Also

[sen_arriaga_sym](#), [sen_arriaga_sym_instantaneous2](#), [sen_lopez_ruzicka_instantaneous](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx <- a * exp(x * b)
s <- sen_arriaga_sym_instantaneous(mx, age = x)

plot(x, s, type = "l")
```

sen_arriaga_sym_instantaneous2

Estimate sensitivity of life expectancy for a set of mortality rates by perturbing in the log space.

Description

This is a second approach for estimating the sensitivity for a single set of rates. Here, rather than directly expanding and contracting rates to convert `mx` into `mx1` and `mx2` we instead shift the logged mortality rates up and down by the factor `perturb = h`. Specifically:

$$m_x^1 = e^{\ln(m_x)+h}$$

$$m_x^2 = e^{\ln(m_x)-h}$$

Usage

```
sen_arriaga_sym_instantaneous2(
  mx,
  age = 0:(length(mx1) - 1),
  sex = "t",
  nx = rep(1, length(mx)),
  perturb = 1e-06,
  closeout = TRUE
)
```

Arguments

mx	numeric vector of mortality rates (central death rates)
age	integer vector of the lower bound of each age group (currently only single ages supported)
sex	character Male ("m"), Female ("f"), or Total ("t")
nx	integer vector of age intervals, default 1.
perturb	numeric constant, a very small number
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Value

numeric vector of life expectancy sensitivity to perturbations in mx.

See Also

[sen_arriaga_instantaneous](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx <- a * exp(x * b)
s <- sen_arriaga_sym_instantaneous2(mx, age = x)

plot(x, s, type = "l")
```

 sen_chandrasekaran_II *Sensitivity from Chandrasekaran II decomposition*

Description

Computes the sensitivity of life expectancy to changes in age-specific mortality rates using the Chandrasekaran II decomposition approach described by Ponnappalli (2005). The sensitivity is obtained by dividing the age-specific contributions (from `chandrasekaran_II()`) by the differences in mortality rates ($mx2 - mx1$). This yields a pointwise estimate of the derivative of life expectancy with respect to each age-specific mortality rate evaluated at an imagined midpoint between the first a second set of mortality rates.

Usage

```
sen_chandrasekaran_II(
  mx1,
  mx2,
  age = (1:length(mx1)) - 1,
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)
```

Arguments

<code>mx1</code>	numeric vector of the mortality rates (central death rates) for population 1
<code>mx2</code>	numeric vector of the mortality rates (central death rates) for population 2
<code>age</code>	integer vector of the lower bound of each age group (currently only single ages supported)
<code>nx</code>	integer vector of age intervals, default 1.
<code>sex1</code>	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
<code>sex2</code>	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as <code>sex1</code> unless otherwise specified.
<code>closeout</code>	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the <code>ax</code> and <code>qx</code> values? See details.

Details

This give numerically identical results to `sen_arriaga_sym()`, `sen_lopez_ruzicka_sym()`, and `sen_chandrasekaran_III()`.

Value

A numeric vector of sensitivity values by age group.

numeric vector of sensitivity of life expectancy to perturbations in `mx` between `mx1` and `mx2`.

References

Ponnappalli KM (2005). “A comparison of different methods for decomposition of changes in expectation of life at birth and differentials in life expectancy at birth.” *Demographic Research*, **12**, 141–172.

See Also

[chandrasekaran_II](#), [sen_arriaga](#), [sen_arriaga_sym](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
s <- sen_chandrasekaran_II(mx1, mx2, age = x)

# Check that multiplying sensitivity by rate difference approximates the decomposition
cc_check <- s * (mx2 - mx1)
cc <- chandrasekaran_II(mx1, mx2, age = x)

plot(x, cc, type = "l")
lines(x, cc_check, col = "red", lty = 2)
```

sen_chandrasekaran_II_instantaneous

Instantaneous sensitivity via Chandrasekaran II decomposition

Description

Estimates the sensitivity of life expectancy to small changes in mortality rates using the Chandrasekaran II decomposition. This is done by perturbing the input mortality rates up and down by a small factor and calculating the directional sensitivity.

Specifically, the function constructs:

$$m_x^1 = m_x \cdot \left(\frac{1}{1-h} \right)$$

$$m_x^2 = m_x \cdot (1-h)$$

and applies `sen_chandrasekaran_II(mx1, mx2, ...)` to the result.

Usage

```
sen_chandrasekaran_II_instantaneous(
  mx,
  age = (1:length(mx1)) - 1,
  nx = rep(1, length(mx)),
  sex = "t",
  perturb = 1e-06,
  closeout = TRUE
)
```

Arguments

mx	Numeric vector of mortality rates (central death rates).
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex	Character; "m" for male, "f" for female, or "t" for total.
perturb	Numeric; a small constant determining the perturbation size (default 1e-6).
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Details

This approach gives a reasonable approximation of the derivative of life expectancy with respect to each age-specific mortality rate. It gives numerically identical results to `sen_arriaga_sym_instantaneous()`, `sen_lopez_ruzicka_instantaneous()`, and `sen_chandrasekaran_III_instantaneous()`.

Value

numeric vector of sensitivity of life expectancy to perturbations in mx

See Also

[sen_chandrasekaran_II](#), [sen_chandrasekaran_II_instantaneous2](#), [sen_arriaga_sym_instantaneous](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx <- a * exp(x * b)
s <- sen_chandrasekaran_II_instantaneous(mx, age = x)

plot(x, s, type = "l")
```

 sen_chandrasekaran_II_instantaneous2

Log-space instantaneous sensitivity via Chandrasekaran II decomposition

Description

Estimates the sensitivity of life expectancy to small changes in mortality rates using the Chandrasekaran II decomposition. This variant perturbs the mortality rates in **log space**, creating two versions of m_x by adding and subtracting a small constant to $\log(m_x)$, then exponentiating.

Specifically:

$$m_x^1 = \exp(\ln m_x + h)$$

$$m_x^2 = \exp(\ln m_x - h)$$

and applies `sen_chandrasekaran_II(mx1, mx2, ...)` to the result.

Usage

```
sen_chandrasekaran_II_instantaneous2(
  mx,
  age = (1:length(mx1)) - 1,
  nx = rep(1, length(mx)),
  sex = "t",
  perturb = 1e-06,
  closeout = TRUE
)
```

Arguments

<code>mx</code>	Numeric vector of mortality rates (central death rates).
<code>age</code>	integer vector of the lower bound of each age group (currently only single ages supported)
<code>nx</code>	integer vector of age intervals, default 1.
<code>sex</code>	Character; "m" for male, "f" for female, or "t" for total.
<code>perturb</code>	Numeric; a small constant determining the perturbation size (default 1e-6).
<code>closeout</code>	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the a_x and q_x values? See details.

Details

This approach provides a log-linear perturbation of the mortality schedule and can be used to estimate the derivative of life expectancy with respect to logged mortality rates. It gives numerically identical results to `sen_arriaga_sym_instantaneous2()`, `sen_lopez_ruzicka_instantaneous2()`, and `sen_chandrasekaran_III_instantaneous2()`.

Value

numeric vector of sensitivity of life expectancy to perturbations in m_x .

See Also

[sen_chandrasekaran_II_instantaneous](#), [sen_arriaga_sym_instantaneous2](#), [sen_lopez_ruzicka_instantaneous2](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx <- a * exp(x * b)
s <- sen_chandrasekaran_II_instantaneous2(mx, age = x)

plot(x, s, type = "l")
```

sen_chandrasekaran_III

Sensitivity from Chandrasekaran III decomposition

Description

Computes the implied sensitivity of life expectancy to changes in age-specific mortality rates using the Chandrasekaran III decomposition approach described by Ponnappalli (2005). The sensitivity is obtained by dividing the age-specific contributions (from `chandrasekaran_III()`) by the differences in mortality rates ($m_{x2} - m_{x1}$). This yields a pointwise estimate of the derivative of life expectancy with respect to each age-specific mortality rate evaluated at an imagined midpoint between the first a second set of mortality rates.

Usage

```
sen_chandrasekaran_III(
  mx1,
  mx2,
  age = (1:length(mx1)) - 1,
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)
```

Arguments

mx1	numeric vector of the mortality rates (central death rates) for population 1
mx2	numeric vector of the mortality rates (central death rates) for population 2
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Details

This gives numerically identical results to `sen_arriaga_sym()`, `sen_lopez_ruzicka_sym()`, and `sen_chandrasekaran_II()`.

Value

A numeric vector of sensitivity values by age group.

References

Ponnappalli KM (2005). "A comparison of different methods for decomposition of changes in expectation of life at birth and differentials in life expectancy at birth." *Demographic Research*, **12**, 141–172.

See Also

[chandrasekaran_III](#), [sen_chandrasekaran_II](#), [sen_arriaga_sym](#), [sen_lopez_ruzicka_sym](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
s <- sen_chandrasekaran_III(mx1, mx2, age = x)

# Check that multiplying sensitivity by rate difference approximates the decomposition
cc_check <- s * (mx2 - mx1)
cc <- chandrasekaran_III(mx1, mx2, age = x)

plot(x, cc, type = "l")
lines(x, cc_check, col = "red", lty = 2)
```

 sen_chandrasekaran_III_instantaneous

Instantaneous sensitivity via Chandrasekaran III decomposition

Description

Estimates the sensitivity of life expectancy to small changes in mortality rates using the Chandrasekaran III decomposition. This is done by perturbing the input mortality rates up and down by a small factor and computing directional sensitivity from the result.

Specifically:

$$m_x^1 = m_x \cdot \left(\frac{1}{1-h} \right)$$

$$m_x^2 = m_x \cdot (1-h)$$

and applies `sen_chandrasekaran_III(mx1, mx2, ...)` to the result.

Usage

```
sen_chandrasekaran_III_instantaneous(
  mx,
  age = (1:length(mx1)) - 1,
  nx = rep(1, length(mx1)),
  sex = "t",
  perturb = 1e-06,
  closeout = TRUE
)
```

Arguments

<code>mx</code>	Numeric vector of mortality rates (central death rates).
<code>age</code>	integer vector of the lower bound of each age group (currently only single ages supported)
<code>nx</code>	integer vector of age intervals, default 1.
<code>sex</code>	Character; "m" for male, "f" for female, or "t" for total.
<code>perturb</code>	Numeric; a small constant determining the perturbation size (default: 1e-6).
<code>closeout</code>	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the <code>ax</code> and <code>qx</code> values? See details.

Details

This approach provides an approximation of the derivative of life expectancy with respect to each age-specific mortality rate, evaluated near the input `mx`. It gives numerically identical results to `sen_arriaga_sym_instantaneous()`, `sen_lopez_ruzicka_instantaneous()`, and `sen_chandrasekaran_II_instantaneous()`.

Value

numeric vector of sensitivity of life expectancy to perturbations in m_x .

See Also

[sen_chandrasekaran_III](#), [sen_chandrasekaran_III_instantaneous2](#), [sen_arriaga_sym_instantaneous](#), [sen_lopez_ruzicka_instantaneous](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx <- a * exp(x * b)
s <- sen_chandrasekaran_III_instantaneous(mx, age = x)

plot(x, s, type = "l")
```

sen_chandrasekaran_III_instantaneous2

Log-space instantaneous sensitivity via Chandrasekaran III decomposition

Description

Estimates the sensitivity of life expectancy to small changes in mortality rates using the Chandrasekaran III decomposition and log-transformed perturbations. The method perturbs m_x up and down in log space and averages the directional sensitivities to approximate the derivative.

Specifically:

$$m_x^1 = \exp(\ln m_x + h)$$

$$m_x^2 = \exp(\ln m_x - h)$$

and applies `sen_chandrasekaran_III(mx1, mx2, ...)` and `sen_chandrasekaran_III(mx2, mx1, ...)`, returning their average.

Usage

```
sen_chandrasekaran_III_instantaneous2(
  mx,
  age = (1:length(mx1)) - 1,
  nx = rep(1, length(mx1)),
  sex = "t",
  perturb = 1e-06,
  closeout = TRUE
)
```

Arguments

mx	Numeric vector of mortality rates (central death rates).
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex	Character; "m" for male, "f" for female, or "t" for total.
perturb	Numeric; a small constant determining the perturbation size (default: 1e-6).
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Details

This version uses symmetric log-space perturbations. It gives numerically identical results to `sen_arriaga_sym_instantaneous2()`, `sen_lopez_ruzicka_instantaneous2()`, and `sen_chandrasekaran_II_instantaneous2()`.

Value

numeric vector of sensitivity of life expectancy to perturbations in mx.

See Also

[sen_chandrasekaran_III_instantaneous](#), [sen_arriaga_sym_instantaneous2](#), [sen_lopez_ruzicka_instantaneous2](#), [sen_chandrasekaran_II_instantaneous2](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx <- a * exp(x * b)
s <- sen_chandrasekaran_III_instantaneous2(mx, age = x)

plot(x, s, type = "l")
```

sen_e0_mx_lt

A direct approximation of the sensitivity of life expectancy at birth to changes in mortality.

Description

This function tries to get the direct discrete life expectancy sensitivity to $m(x)$, in continuous math it's $-l(x)e(x)$, we just need to find the best approx with a discrete lifetable. This direct lifetable-based calculation requires a few approximations to get a usable value whenever we're working with discrete data. In continuous notation, we know that the sensitivity $s(x)$

$$s(x) = -l(x)e(x)$$

but it is not obvious what to use from a discrete life table. In this implementation, we use $L(x)$ and an $a(x)$ -weighted average of successive $e(x)$ values, specifically, we calculate:

$$s_x = -L_x \cdot (e_x \cdot (1 - a_x) + e_{x+1} \cdot a_x)$$

This seems to be a very good approximation for ages >0 , but we still have a small, but unaccounted-for discrepancy in age 0, at least when comparing with also-imperfect numerical derivatives.

Usage

```
sen_e0_mx_lt(
  mx,
  age = 0:(length(mx) - 1),
  nx = rep(1, length(mx)),
  sex = "t",
  closeout = TRUE
)
```

Arguments

mx	numeric vector of the mortality rates (central death rates)
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	age interval width, assumes 1 by default
sex	character: Male ("m"), Female ("f"), or Total ("t")
closeout	logical. Default TRUE.

Value

numeric vector of sensitivity of life expectancy to perturbations in mx.

Examples

```
x <- 0:100
mx <- 0.001 * exp(x * 0.07)
s1 <- sen_e0_mx_lt(mx, age=x, sex='t', closeout=TRUE)
sn <- numDeriv::grad(mx_to_e0, mx, age=x, sex = 't', closeout=TRUE)

plot(x, s1)
lines(x, sn)

# examine residuals:
s1 - sn
# Note discrepancies in ages >0 are due to numerical precision only

plot(x, s1 - sn, main = "still uncertain what accounts for the age 0 discrepancy")
```

sen_lopez_ruzicka *Sensitivity from Lopez-Ruzicka decomposition*

Description

Computes the sensitivity of life expectancy to changes in age-specific mortality rates using the Lopez-Ruzicka decomposition approach. The sensitivity is calculated by dividing the age-specific contributions (from `lopez_ruzicka()`) by the differences in mortality rates ($mx2 - mx1$). This gives a pointwise estimate of the derivative of life expectancy with respect to each age-specific mortality rate, evaluated at an imagined midpoint between the two input rate schedules.

Usage

```
sen_lopez_ruzicka(
  mx1,
  mx2,
  age = (1:length(mx1)) - 1,
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)
```

Arguments

<code>mx1</code>	numeric vector of the mortality rates (central death rates) for population 1
<code>mx2</code>	numeric vector of the mortality rates (central death rates) for population 2
<code>age</code>	integer vector of the lower bound of each age group (currently only single ages supported)
<code>nx</code>	integer vector of age intervals, default 1.
<code>sex1</code>	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
<code>sex2</code>	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as <code>sex1</code> unless otherwise specified.
<code>closeout</code>	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the <code>ax</code> and <code>qx</code> values? See details.

Details

This method gives numerically identical results to `sen_arriaga()`.

Value

A numeric vector of sensitivity values by age group.

References

Ponnappalli KM (2005). “A comparison of different methods for decomposition of changes in expectation of life at birth and differentials in life expectancy at birth.” *Demographic Research*, **12**, 141–172.

See Also

[lopez_ruzicka](#), [sen_arriaga](#), [sen_chandrasekaran_III](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a / 2 * exp(x * b)
s <- sen_lopez_ruzicka(mx1, mx2, age = x)

# Check that multiplying sensitivity by rate difference reproduces the decomposition
cc_check <- s * (mx2 - mx1)
cc <- lopez_ruzicka(mx1, mx2, age = x)

plot(x, cc, type = "l")
lines(x, cc_check, col = "red", lty = 2)
```

sen_lopez_ruzicka_instantaneous

Instantaneous sensitivity via Lopez-Ruzicka decomposition

Description

Estimates the sensitivity of life expectancy to small changes in mortality rates using the Lopez-Ruzicka decomposition. This is done by perturbing the input mortality rates up and down by a small factor and averaging the resulting directional sensitivities to approximate a symmetric derivative.

Specifically:

$$m_x^1 = m_x \cdot \left(\frac{1}{1-h} \right)$$

$$m_x^2 = m_x \cdot (1-h)$$

and applies `sen_lopez_ruzicka(mx1, mx2, ...)` and `sen_lopez_ruzicka(mx2, mx1, ...)`, returning their average.

Usage

```
sen_lopez_ruzicka_instantaneous(
  mx,
  age = (1:length(mx1)) - 1,
  nx = rep(1, length(mx1)),
  sex = "t",
  perturb = 1e-06,
  closeout = TRUE
)
```

Arguments

mx	Numeric vector of mortality rates (central death rates).
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex	Character; "m" for male, "f" for female, or "t" for total.
perturb	Numeric; a small constant determining the perturbation size (default: 1e-6).
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Details

This method gives numerically identical results to `sen_arriaga_sym_instantaneous()`, `sen_chandrasekaran_II_instantaneous()` and `sen_chandrasekaran_III_instantaneous()`.

Value

numeric vector of sensitivity of life expectancy to perturbations in mx.

See Also

[sen_lopez_ruzicka](#), [sen_lopez_ruzicka_instantaneous2](#), [sen_arriaga_sym_instantaneous](#), [sen_chandrasekaran_II_instantaneous](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx <- a * exp(x * b)
s <- sen_lopez_ruzicka_instantaneous(mx, age = x)

plot(x, s, type = "l")
```

 sen_lopez_ruzicka_instantaneous2

Log-space instantaneous sensitivity via Lopez-Ruzicka decomposition

Description

Estimates the sensitivity of life expectancy to small changes in mortality rates using the Lopez-Ruzicka decomposition and log-space perturbation. This is done by shifting the log of the input mortality rates up and down by a small constant, then exponentiating, and computing the average directional sensitivity.

Specifically:

$$m_x^1 = \exp(\ln m_x + h)$$

$$m_x^2 = \exp(\ln m_x - h)$$

and applies `sen_lopez_ruzicka(mx1, mx2, ...)` and `sen_lopez_ruzicka(mx2, mx1, ...)`, returning their average.

Usage

```
sen_lopez_ruzicka_instantaneous2(
  mx,
  age = (1:length(mx1)) - 1,
  nx = rep(1, length(mx1)),
  sex = "t",
  perturb = 1e-06,
  closeout = TRUE
)
```

Arguments

<code>mx</code>	Numeric vector of mortality rates (central death rates).
<code>age</code>	integer vector of the lower bound of each age group (currently only single ages supported)
<code>nx</code>	integer vector of age intervals, default 1.
<code>sex</code>	Character; "m" for male, "f" for female, or "t" for total.
<code>perturb</code>	Numeric; a small constant determining the perturbation size (default: 1e-6).
<code>closeout</code>	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the <code>ax</code> and <code>qx</code> values? See details.

Details

This approach gives numerically identical results to `sen_arriaga_sym_instantaneous2()`, `sen_chandrasekaran_II_inst` and `sen_chandrasekaran_III_instantaneous2()`.

Value

numeric vector of sensitivity of life expectancy to perturbations in m_x .

See Also

[sen_lopez_ruzicka_instantaneous](#), [sen_arriaga_sym_instantaneous2](#), [sen_chandrasekaran_III_instantaneous](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx <- a * exp(x * b)
s <- sen_lopez_ruzicka_instantaneous2(mx, age = x)

plot(x, s, type = "l")
```

sen_lopez_ruzicka_sym *Sensitivity from symmetric Lopez-Ruzicka decomposition*

Description

Computes the sensitivity of life expectancy to changes in age-specific mortality rates using the symmetric version of the Lopez-Ruzicka decomposition, as described by Ponnappalli (2005). The sensitivity is obtained by dividing the symmetric decomposition result by the differences in mortality rates ($m_{x2} - m_{x1}$). This yields a pointwise estimate of the derivative of life expectancy with respect to each age-specific mortality rate evaluated at an imagined midpoint between the first and second set of mortality rates.

Usage

```
sen_lopez_ruzicka_sym(
  mx1,
  mx2,
  age = (1:length(mx1)) - 1,
  nx = rep(1, length(mx1)),
  sex1 = "t",
  sex2 = sex1,
  closeout = TRUE
)
```

Arguments

m_{x1}	numeric vector of the mortality rates (central death rates) for population 1
m_{x2}	numeric vector of the mortality rates (central death rates) for population 2

age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Details

This method gives numerically identical results to `sen_arriaga_sym()`, `sen_chandrasekaran_II()`, and `sen_chandrasekaran_III()`.

Value

A numeric vector of sensitivity values by age group.

References

Ponnappalli KM (2005). "A comparison of different methods for decomposition of changes in expectation of life at birth and differentials in life expectancy at birth." *Demographic Research*, **12**, 141–172.

See Also

[lopez_ruzicka_sym](#), [sen_arriaga_sym](#), [sen_chandrasekaran_II](#), [sen_chandrasekaran_III](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
s <- sen_lopez_ruzicka_sym(mx1, mx2, age = x)

# Check equivalence with symmetric Arriaga
s2 <- sen_arriaga_sym(mx1, mx2, age = x)
all.equal(s, s2)
```

```
sen_lopez_ruzicka_sym_instantaneous
    Instantaneous sensitivity via symmetrical Lopez-Ruzicka decomposition
```

Description

Estimates the instantaneous sensitivity of life expectancy to small proportional changes in mortality rates, using the symmetrical Lopez-Ruzicka decomposition. This implementation perturbs the rates up and down around a central value and applies the symmetrical decomposition to the result.

Specifically, the function constructs:

$$m_x^1 = m_x \cdot \left(\frac{1}{1-h} \right)$$

$$m_x^2 = m_x \cdot (1-h)$$

and applies `sen_lopez_ruzicka_sym(mx1, mx2, ...)` to the result.

Usage

```
sen_lopez_ruzicka_sym_instantaneous(
  mx,
  age = 0:(length(mx) - 1),
  nx = rep(1, length(mx)),
  sex = "t",
  perturb = 1e-06,
  closeout = TRUE
)
```

Arguments

<code>mx</code>	Numeric vector of mortality rates (central death rates).
<code>age</code>	integer vector of the lower bound of each age group (currently only single ages supported)
<code>nx</code>	integer vector of age intervals, default 1.
<code>sex</code>	Character; "m" for male, "f" for female, or "t" for total.
<code>perturb</code>	Numeric; a small constant determining the perturbation size (default 1e-6).
<code>closeout</code>	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the <code>ax</code> and <code>qx</code> values? See details.

Details

This gives a pointwise estimate of the derivative of life expectancy with respect to each age-specific mortality rate, evaluated symmetrically around the given mortality schedule. It gives numerically identical results to e.g. `sen_arriaga_sym_instantaneous()` and `sen_chandrasekaran_II_instantaneous()`.

Value

numeric vector of sensitivity of life expectancy to perturbations in m_x .

See Also

[sen_lopez_ruzicka_sym](#), [sen_lopez_ruzicka_sym_instantaneous2](#), [sen_arriaga_sym_instantaneous](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx <- a * exp(x * b)
s <- sen_lopez_ruzicka_sym_instantaneous(mx, age = x)

plot(x, s, type = "l")
```

sen_lopez_ruzicka_sym_instantaneous2

Log-scale instantaneous sensitivity via symmetrical Lopez-Ruzicka decomposition

Description

Estimates the instantaneous sensitivity of life expectancy using symmetric perturbations in log-scale mortality rates, based on the Lopez-Ruzicka decomposition.

Specifically, the function constructs:

$$m_x^1 = \exp(\log m_x + h)$$

$$m_x^2 = \exp(\log m_x - h)$$

and applies `sen_lopez_ruzicka_sym(mx1, mx2, ...)` to the result.

Usage

```
sen_lopez_ruzicka_sym_instantaneous2(
  mx,
  age = 0:(length(mx) - 1),
  nx = rep(1, length(mx)),
  sex = "t",
  perturb = 1e-06,
  closeout = TRUE
)
```

Arguments

mx	Numeric vector of mortality rates (central death rates).
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex	Character; "m" for male, "f" for female, or "t" for total.
perturb	Numeric; a small constant determining the perturbation size (default 1e-6).
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.

Details

This method gives results equivalent to `sen_lopez_ruzicka_sym_instantaneous()` and `sen_arriaga_sym_instantaneous()` and is preferred when working with log-transformed mortality schedules.

Value

numeric vector of sensitivity of life expectancy to perturbations in mx.

See Also

[sen_lopez_ruzicka_sym](#), [sen_lopez_ruzicka_sym_instantaneous](#), [sen_arriaga_sym_instantaneous2](#)

Examples

```
a <- 0.001
b <- 0.07
x <- 0:100
mx <- a * exp(x * b)
s <- sen_lopez_ruzicka_sym_instantaneous2(mx, age = x)

plot(x, s, type = "l")
```

sen_min

sen_min

Description

Most sensitivity methods in this packages (`sen_arriaga_sym()` excepted) are approximations; when used in decompositions they will tend to imply residuals. To achieve near-exact additivity for a decomposition using these sensitivity approaches, one can try to find a different weighting of rates from populations 1 and 2, rather than simply taking their arithmetic average. Here we turn this into an optimization problem, where we find the weighting w that implies an exactly additive decomposition to an arbitrary degree of tolerance.

$$m_x = m_x^1 * w + m_x^2 * (1 - w)$$

Usage

```
sen_min(
  mx1,
  mx2,
  age,
  sex1,
  sex2 = sex1,
  closeout = TRUE,
  sen_fun = sen_arriaga_instantaneous,
  tol = 1e-10,
  ...
)
```

Arguments

mx1	numeric vector of the mortality rates (central death rates) for population 1
mx2	numeric vector of the mortality rates (central death rates) for population 2
age	integer vector of the lower bound of each age group (currently only single ages supported)
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.
sen_fun	function name, current options include sen_arriaga_instantaneous, sen_arriaga_instantaneous1, sen_arriaga_sym, sen_e0_mx_lt, sen_num
tol	double. tolerance level for residual, passed to optimise()
...	optional arguments to pass to sen_fun()

Details

We expect the value w to be close to .5, and only search the interval [.4, .6]. This may need to be revisited in case that proves too narrow.

Value

age-specific sensitivity of life expectancy to changes in mortality rates.

Examples

```
a <- .001
b <- .07
x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
mx <- (mx1 + mx2) / 2
```

```

s1 <- sen_min(mx1, mx2,
             age = x, sex1 = 't',
             closeout = TRUE,
             sen_fun = sen_arriaga_instantaneous)
s2 <- sen_min(mx1, mx2,
             age = x, sex1 = 't',
             closeout = TRUE,
             sen_fun = sen_e0_mx_lt,
             tol = 1e-12)

# check sums
e01 <- mx_to_e0(mx1, age=x, sex='t', closeout=TRUE)
e02 <- mx_to_e0(mx2, age=x, sex='t', closeout=TRUE)
(gap <- e02 - e01)
delta <- mx2 - mx1
(gap1 <- sum(s1 * delta))
(gap2 <- sum(s2 * delta))
gap2-gap

plot(x, s1, type= 'l')
lines(x, s2, col = 'red', lty = 2, lwd = 2)

plot(x, s2-s1, main = "age 0 difference is due to imprecision in
lifetable approach for this age")

```

sen_num	<i>A numerical approximation of the sensitivity of life expectancy at birth to changes in mortality.</i>
---------	--

Description

Here we produce a numerical derivative based on the methods implemented in the `numDeriv::grad()` function. Tweaking the optional arguments of `numDeriv::grad()`, passed in via `...` might lead to greater precision, but this method actually performs usably well with its defaults.

Usage

```

sen_num(
  mx,
  age = (1:length(mx)) - 1,
  nx = rep(1, length(mx)),
  sex = "t",
  closeout = TRUE,
  ...
)

```

Arguments

`mx` numeric vector of the mortality rates (central death rates)

age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	age interval width, assumes 1 by default
sex	character: Male ("m"), Female ("f"), or Total ("t")
closeout	logical. Default TRUE.
...	optional arguments to pass to mx_to_e0()

Value

numeric vector of sensitivity of life expectancy to perturbations in mx.

Examples

```
x <- 0:100
mx <- 0.001 * exp(x * 0.07)
sn <- sen_num(mx, age=x, sex='t', closeout=TRUE)
sa <- sen_arriaga_instantaneous2(mx, age=x, sex='t', perturb = 1e-4)

plot(x, sa)
lines(x, sn)

# examine residuals:
sn - sa
# Note discrepancies in ages >0 are due to numerical precision only

plot(x, sn - sa, main = "still uncertain what accounts for the age 0 discrepancy")
```

sen_resid

sen_resid

Description

Most sensitivity methods in this packages (sen_arriaga_sym() excepted) are approximations; when used in decompositions they will tend to imply residuals. To achieve near-exact additivity for a decomposition using these sensitivity approaches, one can try to find a different weighting of rates from populations 1 and 2, rather than simply taking their arithmetic average. Here we turn this into an optimization problem, where we find the weighting w that implies an exactly additive decomposition to an arbitrary degree of tolerance. This function gives said residual, for purposes of optimizing using sen_min(). We export this auxiliary function because one might wish to know the value w that balances rates such that the decomposition is exact.

$$m_x = m_x^1 * w + m_x^2 * (1 - w)$$

Usage

```
sen_resid(
  w = 0.5,
  mx1,
  mx2,
  age = 0:(length(mx) - 1),
  nx = rep(1, length(mx)),
  sex1,
  sex2 = sex1,
  closeout = TRUE,
  sen_fun = sen_arriaga_instantaneous,
  ...
)
```

Arguments

w	the parameter weight to optimize, default 0.5
mx1	numeric vector of the mortality rates (central death rates) for population 1
mx2	numeric vector of the mortality rates (central death rates) for population 2
age	integer vector of the lower bound of each age group (currently only single ages supported)
nx	integer vector of age intervals, default 1.
sex1	character either the sex for population 1: Male ("m"), Female ("f"), or Total ("t")
sex2	character either the sex for population 2: Male ("m"), Female ("f"), or Total ("t") assumed same as sex1 unless otherwise specified.
closeout	logical. Default TRUE. Shall we use the HMD Method Protocol to close out the ax and qx values? See details.
sen_fun	function name, current options include sen_e0_mx_lt, sen_arriaga_instantaneous, sen_arriaga_instantaneous2, sen_arriaga_sym, sen_arriaga_sym_instantaneous, sen_arriaga_sym_instantaneous2, sen_num, sen_chandrasekaran_II_instantaneous, sen_chandrasekaran_ii_instantaneous2, sen_chandrasekaran_iii_instantaneous, sen_chandrasekaran_iii_instantaneous2, sen_lopez_ruzicka_instantaneous, sen_lopez_ruzicka_instantaneous2, sen_lopez_ruzicka_sym_instantaneous, sen_lopez_ruzicka_sym_instantaneous2, sen_andreev_instantaneous, sen_andreev_instantaneous2, sen_andreev_sym_instantaneous, sen_andreev_sym_instantaneous2
...	optional arguments passed to a given sensitivity function.

Value

age-specific sensitivity of life expectancy to changes in mortality rates.

Examples

```
a <- .001
b <- .07
```

```

x <- 0:100
mx1 <- a * exp(x * b)
mx2 <- a/2 * exp(x * b)
w <- optimize(sen_resid,
              mx1 = mx1,
              mx2 = mx2,
              age = x,
              sen_fun = sen_arriaga_instantaneous,
              sex1 = 't',
              sex2 = 't',
              closeout = TRUE,
              interval = c(.4,.6))$minimum
w

```

US_data

US Mortality data

Description

All-cause mortality rate data from the Human Mortality Database lifetables. The dataset contains information on mortality rates (mx), by year (2000-2020), sex, and (truncated) ages 0 to 100.

Usage

```
US_data
```

Format

A data frame with 4242 rows and 4 columns with class "data.frame" and including the following columns

- year integer. Years 2000 to 2020.
- sex character. "Male" or "Female".
- age integer. Ages 0, 1, ..., 99, and 100.
- mx numeric. Mortality rates for the corresponding sex, age and year

References

Human Mortality Database (2026). "University of California, Berkeley (USA), and Max Planck Institute for Demographic Research (Germany)." Available at <https://www.mortality.org> (accessed on 05/02/2026).

Examples

```

#The dataset is executed with the following information
US_data

```

`US_data_CoD`*US cause-of-death Mortality data*

Description

Data from the US total population from the Human Mortality Dataset and from National Center for Health Statistics (NCHS). In this case, we have information with the number of deaths by 18 different causes, for more information please review the `cause_id` and the National Center for Health Statistics (NCHS). The use of two dataset is justified because NCHS does not contain information of exposures above age 85. The dataset contains information on mortality rates (`mxt`), registered deaths (`Dxt`) and the size of the population at risk of death (`Ext`) by period, from 2000 to 2020, and by age, from 0 to 100 years, for both males and females. In addition, we have the number of deaths by cause between 0 and 100 years of age and between 2000 and 2020.

Usage

`US_data_CoD`

Format

A data frame of of mortality rates by age, year, sex, and cause with 76356 rows and 6 columns, including the following columns. Cause of death fractions were derived from NCHS data, and constrained to HMD lifetable `mx`:

- `year` numeric. Years 2000 to 2020.
- `sex` character. Values "Male" or "Female".
- `age` integer. Values 0, 1, ..., 99, and 100.
- `cause` character. A brief summary of the corresponding cause family.
- `cause_id` character. The ICD10 code range covered by this cause of death.
- `cause_short` character. A short name for each cause, useful for plotting. Includes codes in parentheses.
- `mx` numeric. Mortality rates for the corresponding age, year, sex, and cause.

References

Human Mortality Database (2026). "University of California, Berkeley (USA), and Max Planck Institute for Demographic Research (Germany)." Available at <https://www.mortality.org> (accessed on 05/02/2026). Centers for Disease Control and Prevention (2024). "CDC WONDER Online Database." Accessed via CDC WONDER. Originally released April 1995. Accessed 2024-XX-XX, <https://wonder.cdc.gov/>.

Examples

```
#The dataset is loaded by simply executing:  
US_data_CoD
```

Index

* datasets

- US_data, 70
- US_data_CoD, 71

- abridge_mx, 3
- ald_to_Lx, 3
- andreev, 4, 6, 31
- andreev_sym, 5
- arriaga, 7, 10, 21, 35, 39, 43
- arriaga(), 17
- arriaga_sym, 9, 14, 22
- arriaga_sym(), 17
- available_methods, 10

- chandrasekaran_II, 11, 14, 22, 48
- chandrasekaran_III, 12, 21, 22, 52

- LEdecomp, 14
- lL_to_ex, 19
- lopez_ruzicka, 20, 22, 58
- lopez_ruzicka_sym, 14, 21, 21, 62
- lx_to_dx, 23

- mx_to_ax, 23
- mx_to_e0, 24
- mx_to_ex, 25
- mx_to_qx, 26

- plot.LEdecomp, 26

- qx_to_lx, 29

- rcumsum, 29

- sen_andreev, 30
- sen_andreev_instantaneous, 31, 33, 38
- sen_andreev_instantaneous2, 33
- sen_andreev_sym, 34, 36
- sen_andreev_sym_instantaneous, 35
- sen_andreev_sym_instantaneous2, 36, 37
- sen_arriaga, 38, 48, 58
- sen_arriaga(), 17
- sen_arriaga_instantaneous, 39, 42, 46
- sen_arriaga_instantaneous2, 41
- sen_arriaga_sym, 42, 45, 48, 52, 62
- sen_arriaga_sym(), 17
- sen_arriaga_sym_instantaneous, 44, 49, 54, 59, 64
- sen_arriaga_sym_instantaneous2, 45, 45, 51, 55, 61, 65
- sen_chandrasekaran_II, 47, 49, 52, 62
- sen_chandrasekaran_II_instantaneous, 48, 51, 59
- sen_chandrasekaran_II_instantaneous2, 49, 50, 55
- sen_chandrasekaran_III, 51, 54, 58, 62
- sen_chandrasekaran_III_instantaneous, 53, 55
- sen_chandrasekaran_III_instantaneous2, 54, 54, 61
- sen_e0_mx_lt, 55
- sen_e0_mx_lt(), 17
- sen_lopez_ruzicka, 57, 59
- sen_lopez_ruzicka_instantaneous, 36, 45, 54, 58, 61
- sen_lopez_ruzicka_instantaneous2, 51, 55, 59, 60
- sen_lopez_ruzicka_sym, 52, 61, 64, 65
- sen_lopez_ruzicka_sym_instantaneous, 63, 65
- sen_lopez_ruzicka_sym_instantaneous2, 64, 64
- sen_min, 65
- sen_num, 67
- sen_resid, 68

- US_data, 70
- US_data_CoD, 71